

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it **MUST** be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Andy Kim on 11/19/2009.

The application has been amended as follows:

In claim 19,

AFTER--"wherein voids are formed in the recesses between the outer wall part and the honeycomb structural part"

INSERT---", where the average contact ratio in the recesses between the outer wall part and the honeycomb structural part is 0.9 or less."

In claim 20,

CANCEL THE ENTIRE CLAIM.

In claims 27-38,

CANCEL CLAIMS 27-38.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to GORDON R. BALDWIN whose telephone number is (571)272-5166. The examiner can normally be reached on M-F 7:45-5:15.

Art Unit: 1794

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jennifer McNeil can be reached on 571-272-1540. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Gordon R Baldwin/
Examiner, Art Unit 1794

/Timothy M. Speer/
Primary Examiner, Art Unit 1794